



# HEAT TRANSFER MACHINES



## TC-816A

*Cylindrical & Flat Surfaces  
Heat Transfer Machine*

- Adjustable Heat Stroke
- Specially designed for pen / tube shape printing



## KB-301

*Cylindrical, Flat & Polygon  
Surfaces Heat Transfer Machine*

- Capable to print curving shape
- Max. Pressure 200kg



## KB-201

*Cylindrical & Flat Surfaces  
Heat Transfer Machine*

- Printing Area 200mm x 300mm
- Max. Pressure 200kg



## TC-836

*Cylindrical & Flat Surfaces  
Heat Transfer Machine*

- Printing Area 250mm x 500mm
- Max. Pressure 300kg



## KB-380

*Cylindrical & Flat Surfaces  
Heat Transfer Machine*

- Extra Large Printing Area 300mm x 350mm
- Strong Oil Pressure System (Max 2000kg)



## KB-200

*Cylindrical & Flat Surfaces  
Heat Transfer Machine*

- Specially designed for bottle surface decoration



## KOBO ENTERPRISES LTD.

香港九龍荔枝角青山道501-503號國際工業大廈二樓  
2/F., International Ind. Bldg., 501-503 Castle Peak Road, Lai Chi Kok, Kln., Hong Kong.  
Tel: (852)2462 9059 (8 Lines) Fax: (852)2456 3459, 2415 6478  
e-mail: [info@kobogroup.com](mailto:info@kobogroup.com) <http://www.kobogroup.com>

國內廠地址：

廣州市北郊廣花公路大朗路口  
電話：(020)8607 0698  
(020)8607 0530  
傳真：(020)8607 0535

# PRINTED SAMPLES & FOILS



## HEAT TRANSFER MACHINES SPECIFICATIONS

SPECIFICATIONS	TC-816A	KB-301	KB-201	TC-836	KB-380	KB-200
Max. Printing Area (Flat)	5 x 8.7 inch 125 x 220 mm	8 x 13.8 inch 200 x 350 mm	8 x 11.8 inch 200 x 300 mm	9.8 x 21.7 inch 250 x 550 mm	12 x 13.8 inch 300 x 350 mm	8 x 13.8 inch 200 x 350 mm
Max Length of Rubber Roller	N / A	8 inch 200 mm	8 inch 200 mm	10 inch 250 mm	12 inch 300 mm	8 inch 200 mm
Size of Hot Plate	125 x 220 mm	N / A	N / A	N / A	N / A	N / A
Work Table Size	8 x 8 inch 200 x 200 mm	10 x 16.5 inch 250 x 420 mm	8.7 x 18.1 inch 220 x 460 mm	11.8 x 21.7 inch 300 x 550 mm	40 x 13.4 inch 1000 x 340 mm	14.2 x 16.9 inch 360 x 430 mm
Max. Pressure	440 Lbs 200 Kg	440 Lbs 200 Kg	660 Lbs 300 Kg	660 Lbs 300 Kg	4400 Lbs 2000 kg	660 Lbs 300 kg
Max. Head Stroke	2.4 inch 60 mm	3.1 inch 80 mm	3.1 inch 80 mm	3.1 inch 80 mm	3.1 inch 80 mm	2.8 inch 70 mm
Max Table Stroke	8.7 inch 220 mm	13.8 inch 350 mm	11.8 inch 300 mm	21.7 inch 550 mm	13.8 inch 350 mm	13.8 inch 350 mm
Max. Opening (Flat)	6.3 inch 160 mm	10 inch 250 mm	10 inch 250 mm	10 inch 250 mm	10 inch 250 mm	10 inch 250 mm
Max. Opening (Cylindrical)	5.5 inch 140 mm	8.7 inch 220 mm	11.8 inch 300 mm	11.8 inch 300 mm	9.1 inch 230 mm	11.8 inch 300 mm
Pump Capacity	N / A	N / A	N / A	N / A	30 l/min	N / A
Oil Cylinder Max. Pressure	N / A	N / A	N / A	N / A	70 Kgf / cm <sup>2</sup>	N / A
Voltage Supply	220 V	220 V	220 V	220 V	380 V	220 V
Heater Capacity	1,000 W	3,000 W	2,000 W	3,000 W	3,000 W	2,200 W
Foil Controller	Motor Drive	Motor Drive	Motor Drive	Motor Drive	Motor Drive	Motor Drive
Thermo Controller	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C
Net Weight	337 Lbs 153 Kg	639 Lbs 290 Kg	507 Lbs 230 Kg	779 Lbs 353 Kg	1292 Lbs 586 Kg	421 Lbs 191 Kg
Gross Weight	430 Lbs 195 kg	785 Lbs 356 kg	705 Lbs 320 kg	965.6 Lbs 438 kg	1623 Lbs 736 kg	567 Lbs 257 kg
Dimension ( L x W x H )	25 x 23 x 42 inch 640 x 580 x 1060 mm	47 x 30 x 47 inch 1200 x 760 x 1200 mm	43 x 21 x 51 inch 1100 x 550 x 1300 mm	57 x 26 x 52 inch 1450 x 660 x 1320 mm	59 x 29 x 79 inch 1500 x 730 x 2000 mm	35 x 28 x 51 inch 900 x 700 x 1300 mm
Box Size ( L x W x H )	24 x 33x 84 inch 610 x 840 x 2130 mm	13 x 21 x 31 inch 320 x 540 x 800 mm	11 x 18 x 22 inch 290 x 450 x 580 mm	31 x 60 x 58 inch 790 x 1520 x 1470 mm	24 x 12x 33 inch 610 x 310 x 840 mm	28 x 25 x 27 inch 710 x 640 x 690 mm
Standard Roller comes with Machine	N / A	4 inch 100 mm	4 inch 100 mm	4 inch 100 mm	4 inch 100 mm	4 inch 100 mm

\* All Specifications are Subject to Change without Prior Notice.

Welcome to KOBO machines family.

KOBO machines are always of best value with unsurpassed quality and design. It provides instant and convenient way for Hot Foil Printing, Embossing and Heat Transfer Printing. We have a lot of models with different size and usages to meet your different needs. They can be used to imprint on leather, wood, paper and plastic.


Please visit our website at [www.kobogroup.com](http://www.kobogroup.com)



KOBO Hot Stamper  
Governor's Award Winner



# HOT STAMPERS



## KOBO ENTERPRISES LTD.

香港九龍荔枝角青山道501-503號國際工業大廈二樓  
2/F., International Ind. Bldg., 501-503 Castle Peak Road, Lai Chi Kok, Kln., Hong Kong.  
Tel: (852)2462 9059 (8 Lines) Fax: (852)2456 3459, 2415 6478  
e-mail: [info@kobogroup.com](mailto:info@kobogroup.com) <http://www.kobogroup.com>

國內廠地址：

廣州市北郊廣花公路大朗路口  
電話：(020)8607 0698  
(020)8607 0530  
傳真：(020)8607 0535

# Manual Hot Stamping Machines



## TC-900

### Multi-purpose Manual Hot Stamper


- UL Applicant No. E121823
- U.S.A. Design No. 221978
- U.K. Design No. 1048142



## TC-950

### Professional Manual Hot Stamper

- U.K. Design No. 2029696
- Specially for card printing
- High pressure for embossing



## TC-180

### Multi-purpose Manual Hot Stamper

- U.K. Design No. 1029051



## TC-280

### Professional Manual Hot Stamper



## KB-338

### Medium Size Manual Hot Stamper

- Extra Large work table



## TC-811

### Medium Size Manual Hot Stamper

- Head Stroke Adjustable



## TC-801

### Medium Size Manual Hot Stamper

- Head Stroke Adjustable
- Max. Pressure 2000 Kg



## TC-821

### Large Size Hot Stamper

- Head Stroke Adjustable
- Max. Pressure 2000 Kg



## TC-831

### Large Size Hot Stamper

- Max. Pressure 2000 Kg
- Specially designed for Leather Emboss



## TC-851

### Extra Large Size Hot Stamper

- Head Stroke Adjustable
- Printing Area up to A4 size
- Max. Pressure 2500 Kg

# Automatic Hot Stamping Machines



## TC-812

*Medium Size Automatic Hot Stamper*

- Max. Pressure 300 Kg
- Head Stroke Adjustable



## TC-822

*Heavy Duty Automatic Hot Stamper*

- Max. Pressure 2000 Kg
- Head Stroke Adjustable



## TC-816

*Cylindrical Hot Stamper*

- Max. Pressure 200 Kg
- Head Stroke Adjustable



## KB-101

*Oval, Cylindrical & Polygon Hot Stamper*

- Specially designed for bottle / container edge decoration
- Head Stroke Adjustable



## TC-818

*Automatic Hot Stamper with Rotary Table*

- Max. Pressure 300 Kg
- Rotary Table  $\phi$  400 mm
- Head Stroke Adjustable



## TC-828

*Automatic Hot Stamper with Rotary Table*

- Max. Pressure 2000 Kg
- Rotary Table  $\phi$  500 mm
- Head Stroke Adjustable

# HOT STAMPING MACHINES SPECIFICATIONS

SPECIFICATION	TC-900	TC-950	TC-180	TC-280	TC-801	TC-811	KB-338	TC-821
<b>Size of Hot Plate</b>	2.4 x 3.5 inch 60 x 90 mm	2.4 x 3.5 inch 60 x 90 mm	4 x 7 inch 100 x 180 mm	5 x 7.5 inch 130 x 190 mm	4 x 7 inch 100 x 180 mm	5 x 8.6 inch 125 x 220 mm	5 x 8.6 inch 125 x 220 mm	6 x 10 inch 160 x 260 mm
<b>Work Table Size</b>	4.1 x 6 inch 105 x 150 mm	4 x 6 inch 100 x 150 mm	5 x 8.1 inch 125 x 205 mm	6 x 8.3 inch 150 x 210 mm	8.7 x 9.5 inch 220 x 240 mm	9.5 x 12.6 inch 240 x 320 mm	12.6 x 13.8 inch 320 x 350 mm	12.6 x 15 inch 320 x 380 mm
<b>Diameter of Rotary Table</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>Diameter of Rubber Roller</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>Max. Pressure</b>	Manual	1,300 Lbs 600 Kg	Manual	2,200 Lbs 1,000 Kg	660 Lbs 300 Kg	660 Lbs 300 Kg	2,200 Lbs 1,000 Kg	4,400 Lbs 2,000 Kg
<b>Max. Head Stroke</b>	0 - 1.18 inch 0 - 30 mm	0.4 - 0.8 inch 10 - 20 mm	0 - 2 inch 0 - 50 mm	0.8 - 1.2 inch 20 - 30 mm	1.6 inch 40 mm	1.6 inch 40 mm	0.8 - 1.2 inch 20 - 30 mm	7.5 inch 190 mm
<b>Maximum Opening (Flat)</b>	2 inch 50 mm	1.2 inch 30 mm	2 inch 50 mm	1.2 inch 30 mm	5 inch 125 mm	8.3 inch 210 mm	2.4 inch 60 mm	1.2 inch 30 mm
<b>Maximum Opening (Cylindrical)</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>Voltage Supply</b>	110V /220V	220V	110V /220V	220V	220V	220V	220V	220V
<b>Heater Capacity</b>	300 W	300 W	400 W	800 W	400 W	800 W	800 W	1,500 W
<b>Foil Controller</b>	Mechanism	Mechanism	Mechanism	Mechanism	Motor Drive	Motor Drive	Motor Drive	Motor Drive
<b>Thermo Controller</b>	0-570°F 0-300°C	0-570°F 0-300°C	0-570°F 0-300°C	0-570°F 0-300°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C
<b>Net Weight (Kg)</b>	18 Lbs 8.2 Kg	44 Lbs 20 Kg	42 Lbs 19 Kg	88 Lbs 40 Kg	154 Lbs 70 Kg	205 Lbs 93 Kg	258.5 Lbs 117.5 Kg	370 Lbs 167 Kg
<b>Gross Weight (Kg)</b>	21 Lbs 9.2 Kg	48.5 Lbs 22 Kg	48.5 Lbs 22 Kg	95 Lbs 43 Kg	186.5 Lbs 84.5 Kg	242.5 Lbs 110 Kg	285.5 Lbs 129.5 Kg	401 Lbs 182 Kg
<b>Dimension (L x W x H)</b>	10 x 6.5 x 13.5 inch 260 x 160 x 340 mm	11 x 9.5 x 13.5 inch 280 x 240 x 340 mm	13.5 x 13.5 x 15 inch 340 x 340 x 380 mm	14 x 15 x 17 inch 355 x 380 x 440 mm	19.6 x 17 x 27 inch 500 x 430 x 690 mm	21 x 21 x 28 inch 635 x 640 x 790 mm	13.5 x 13.5 x 15 inch 560 x 640 x 760 mm	26 x 23 x 34.5 inch 660 x 580 x 880 mm
<b>Box Size (L x W x H)</b>	13.5 x 9 x 14 inch 340 x 230 x 360 mm	12.5 x 16.5 x 16.5 inch 320 x 420 x 410 mm	14 x 19.5 x 22 inch 360 x 380 x 430 mm	19 x 19.6 x 22 inch 480 x 500 x 560 mm	30 x 23 x 29.5 inch 760 x 590 x 750 mm	25 x 30 x 31 inch 635 x 760 x 790 mm	13.5 x 13.5 x 15 inch 605 x 705 x 910 mm	28.2 x 26 x 37.2 inch 715 x 660 x 945 mm

\* All Specifications are Subject to Change without Prior Notice.

SPECIFICATION	TC-831	TC-851	KB-101	TC-812	TC-816	TC-818	TC-822	TC-828
<b>Size of Hot Plate</b>	6 x 10 inch 160 x 260 mm	12 x 7.6 inch 300 x 200 mm	N/A	5 x 8.7 inch 125 x 220 mm	5 x 8.7 inch 125 x 220 mm	5 x 8.7 inch 125 x 220 mm	6.3 x 10 inch 160 x 260 mm	6 x 10 inch 160 x 260 mm
<b>Work Table Size</b>	12.5 x 14 inch 320 x 350 mm	12.5 x 15 inch 320 x 370 mm	N/A	9.5 x 12.6 inch 240 x 320 mm	9.5 x 12.6 inch 240 x 320 mm	N/A	12.6 x 15 inch 320 x 380 mm	N/A
<b>Diameter of Rotary Table</b>	N/A	N/A	N/A	N/A	N/A	16 inch 400 mm	N/A	19.6 inch 500 mm
<b>Diameter of Rubber Roller</b>	N/A	N/A	100 - 120 mm	N/A	N/A	N/A	N/A	N/A
<b>Max. Pressure</b>	4,400 Lbs 2,000 Kg	5,500 Lbs 2,500 Kg	N/A	660 Lbs 300 Kg	440 Lbs 200 Kg	660 Lbs 300 Kg	4,400 Lbs 2,000 Kg	4,400 Lbs 2,000 Kg
<b>Max. Head Stroke</b>	1.2 - 2 inch 30 - 50 mm	1.2 - 2 inch 30 - 50 mm	1.5 inch 40 mm	2.4 inch 60 mm	2.4 inch 60 mm	2.4 inch 60 mm	1.2 - 2 inch 30 - 50 mm	1.2 - 2 inch 30 - 50 mm
<b>Maximum Opening (Flat)</b>	1.5 inch 40 mm	7.5 inch 190 mm	N/A	7.8 inch 200 mm	8.6 inch 220 mm	8 inch 210 mm	7.5 inch 190 mm	6 inch 160 mm
<b>Maximum Opening (Cylindrical)</b>	N/A	N/A	N/A	N/A	5.5 inch 140 mm	N/A	N/A	N/A
<b>Voltage Supply</b>	220V	220V	220V	220V	220V	220V	220V	220V
<b>Heater Capacity</b>	800 W	3,000 W	550 W	800 W	1,000 W	800 W	1,500 W	1,500 W
<b>Foil Controller</b>	Motor Drive	Motor Drive	Motor Drive	Motor Drive	Motor Drive	Motor Drive	Motor Drive	Motor Drive
<b>Thermo Controller</b>	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C	0-750°F 0-400°C
<b>Net Weight (Kg)</b>	280 Lbs 127 Kg	450 Lbs 204 Kg	236 Lbs 107 Kg	230 Lbs 104 Kg	291 Lbs 132 Kg	293 Lbs 133 Kg	390 Lbs 176 Kg	485 Lbs 220 Kg
<b>Gross Weight (Kg)</b>	320 Lbs 145 Kg	483 Lbs 219 Kg	270 Lbs 122 Kg	268 Lbs 121.5 Kg	342 Lbs 155 Kg	335 Lbs 152 Kg	423 Lbs 192 Kg	529 Lbs 240 Kg
<b>Dimension (L x W x H)</b>	25 x 20 x 24 inch 630 x 510 x 620 mm	26 x 23 x 36 inch 660 x 650 x 910 mm	17.3 x 23 x 26 inch 440 x 580 x 660 mm	19 x 21 x 32 inch 480 x 540 x 820 mm	19 x 19 x 34 inch 480 x 480 x 860 mm	19.5 x 24 x 35 inch 500 x 600 x 900 mm	24 x 24 x 35 inch 600 x 600 x 880 mm	27 x 21 x 35 inch 680 x 540 x 880 mm
<b>Box Size (L x W x H)</b>	30 x 30 x 27 inch 760 x 760 x 760 mm	32 x 30 x 39 inch 810 x 760 x 1,100 mm	32.5 x 27.8 x 32.5 inch 825 x 705 x 825 mm	25 x 30 x 38 inch 635 x 760 x 965 mm	35 x 26 x 45 inch 990 x 660 x 1,150 mm	32 x 27 x 45 inch 820 x 690 x 1,140 mm	29 x 30 x 37 inch 740 x 760 x 940 mm	29 x 30 x 37 inch 740 x 760 x 940 mm

\* All Specifications are Subject to Change without Prior Notice.

## Welcome to KOBO machines family.

KOBO machines are always of best value with unsurpassed quality and design. It provides instant and convenient way for Hot Foil Printing, Embossing and Heat Transfer Printing. We have a lot of models with different size and usages to meet your different needs. They can be used to imprint on leather, wood, paper and plastic.

Please visit our website at [www.kobogroup.com](http://www.kobogroup.com)



KOBO Hot Stamper  
Governor's Award Winner

**KB-982 EMBOSSING PRINTER &  
TC-900 HOT STAMPING PRINTER**

*Excellent Quality  
Unbelievable Price*




**KB-982 Embossing Printer &  
TC-900 Hot Stamping Printer**

**膠卡片壓凸字連燙金機套裝**

適用於各類型信用卡，推廣期內特價發售，即壓即燙方便快捷，無須專業訓練亦可操作使用。

- Suitable for all types of credit card / membership card
- Accurate, durable & efficient combination
- Professional training is not required for operation
- Special price during promotion period



設計榮獲工業獎認可  
Governor's award winner



**KOBO ENTERPRISES LTD.**

香港九龍荔枝角青山道501-503號國際工業大廈二樓  
2/F., International Ind. Bldg., 501-503 Castle Peak Road, Lai Chi Kok, Kln., Hong Kong.  
Tel: (852)2462 9059 (8 Lines) Fax: (852)2456 3459, 2415 6478  
e-mail: [info@kobogroup.com](mailto:info@kobogroup.com) <http://www.kobogroup.com>

國內廠地址：

廣州市北郊廣花公路大朗路口  
電話：(020)8607 0698  
(020)8607 0530  
傳真：(020)8607 0535